
















Knauf montažni pribor




Naziv proizvoda	Broj proizvoda	EAN kod	Dulj. mm	Deblj. mm	Težina kg		Mjerna jedinica (MJ)	Jedinica pakir. (JP)
					MJ	JP		
PRIBOR ZA SAMONOSIVI SISTEM ZA RASPONE								
UA-visilica s kopčom	00061060	4003982097651	–	–	8,6	4,3	100 kom	50
UA-ovjesna kopča	00061061	4003982097668	–	–	5,9	5,9	100 kom	100
UA-spojna papučica 40 mm 80 mm	00060449 00060450	4003982097675 4003982097682	–	–	0,900 1,200	7,2 9,6	kom	8
UA-spojni kutnik 50 x 2,0 75 x 2,0 100 x 2,0	00060451 00066119 00060452	4003982097699 4003982097705 4003982097712	50 75 100	– 2,0	0,100 0,160 0,200	0,2 0,3 0,4	kom	1
Podložni lim s vijcima	00066120	4003982105530	–	–	0,120	6,0	kom	50
Vijak M 5 sa sigurnosnom maticom	00066121	4003982034649	–	5,0	0,430	0,430	paket	100 kom
Vijak M 8 x 20 s maticom	00066122	4003982105547	20	8,0	1,9	1,9	paket	50 kom
PRIBOR ZA DRVENU POTKONSTRUKCIJU								
Visilica za ovjes drvenih potkonstrukcija jednodjelna razred nosivosti 0,25 kN (25 kg)	00003404	4003982029614	115	0,7	1,2	1,2	100 kom	100
Direktni ovjes za drvenu potkonstrukciju 50 mm isporuka u izravnom stanju razred nosivosti 0,4 kN (40 kg) Količina na paleti: 14.400 kom	0003405	4003982029638	125	1,0	6,5	6,5	100 kom	100

Knauf montažni pribor

Naziv proizvoda	Broj proizvoda	EAN kod	Dulj. mm	Deblj. mm	Težina kg		Mjerna jedinica (MJ)	Jedinica pakir. (JP)
					MJ	JP		
CD-PRIBOR								
Nonius obuhvatni ovjes za CD-profil 60/27 razred nosivosti 0,4 kN (40 kg)	00003391	4003982132222	–	–	5,3	5,3	100 kom	100
Nonius obuhvatni ovjes za UA-profil 50/40 razred nosivosti 0,4 kN (40 kg)	00003392	4003982132239	–	–	5,3	5,3	100 kom	100
Direktni ovjes za CD-profil 60/27 isporuka u izravnom stanju razred nosivosti 0,4 kN (40 kg) Količina po paleti: 14.400 kom	00003406	4003982029669	125	1,0	6,0	6,0	100 kom	100
Direktni pomični ovjes za CD 60/27 izravno	00066123	4003982131287	125	0,90	7,2	7,2 kom	100	100
Kopča za direktnu montažu za CD 60/27	00003542	4003982108890	–	–	2,1	2,1	100 kom	100
Pomična kopča za dir. montažu za CD 60/27	00066124	4003982139528	–	–	3,7	3,7	100 kom	100
Nonius-ovjes-donji dio za CD-profil 60/27 razred nosivosti 0,4 kN (40 kg)	00003393	4003982073099	128	1,0	3,5	3,5	100 kom	100
Akustični ovjes Duljina: 3,0 cm 3,5 – 5,0 cm izravno Količina po paleti: 9.600 kom	00061021	9002943050242	30	–	3,5	3,5	100 kom	100
Duljina: 6,0 cm 6,5 – 8,0 cm izravno Količina po paleti: 3.600 kom	00061022	9002943050259	60	–	5,8	5,8	100 kom	100
Duljina: 9,0 cm 9,0 – 12,0 cm Količina po paleti: 7.200 kom	00061023	9002943050266	90	–	6,9	6,9	100 kom	100
Zakretni sidreni kutnik za CD-profil 60/27	00003407	4003982087676	79	0,9	2,0	2,0	100 kom	100









Knauf montažni pribor



Naziv proizvoda	Broj proizvoda	EAN kod	Dulj. mm	Deblj. mm	Težina kg		Mjerna jedinica (MJ)	Jedinica pakir. (JP)
					MJ	JP		
PRIBOR ZA CD PROFILE								
Dvostruka opruga (opruga za 2 ovjesne žice)	00003411	4003982029959	-	0,70	2,0	2,0	100 kom	100
CD-kombinirani ovjes za CD-profil 60/27 razred nosivosti 0,25 kN (25 kg)	00003412	4003982100634	95	1,0	4,5	4,5	100 kom	100
Ankerfix sidreni ovjes s polugom za CD-profil 60/27 razred nosivosti 0,25 kN (25 kg) Količina na paleti: 8.400 kom	00046821	4003982152213	85	0,70	3,9	3,9	100 kom	100
Sidreni ovjes za CD-profil 60/27	00003414	4003982030177	80	1,50	2,6	2,6	100 kom	100
Sidreni ovjes 170 Sidreni ovjes 270 za CD-profil 60/27 razred nosivosti 0,25 kN (25 kg)	00019873 00062571	4003982143815 9002943072282	170 270	0,90 0,90	5,0 8,0	5,0 8,0	100 kom	100
Sidreni kutnik za CD-profil 60/27 razred nosivosti 0,25 kN (25 kg) Količina na paleti: 28.800 kom	00003415	4003982030191	79	0,90	2,1	2,1	100 kom	100
Pomični sidreni ovjes za CD-profil 60/27	00066125	9002943052468	110	1,50	9,5	9,5	100 kom	100
Sidreni ovjes s oprugom za CD-profil 60/27 razred nosivosti 0,25 kN (25 kg) Količina na paleti: 8.400 kom	00008490	9002943052475	80	1,50	3,5	3,5	100 kom	100
Žica s ušicom	Duljina							
	12,5 cm	00003416	4003982030269	125	1,6	1,6	100 kom	100
	25,0 cm	00003417	4003982030276	250	2,8	2,8		
	37,5 cm	00003418	4003982030283	375	4,1	4,1		
	50,0 cm	00003419	4003982030290	500	5,3	5,3		
	75,0 cm	00003420	4003982030306	750	7,8	7,8		
	100,0 cm	00003421	4003982030313	1000	10,4	10,4		
	125,0 cm	00003422	4003982030320	1250	13,0	13,0		
	150,0 cm	00003424	4003982030337	1500	15,6	15,6		
Žica s žel. sidrom za strop	Duljina						paket	100 kom
	12,5 cm	00066126	9002943071728	125	2,2	2,2		
	25,0 cm	00066127	9002943071735	250	3,4	3,4		
	37,5 cm	00066128	9002943071742	375	4,5	4,5		
	50,0 cm	00066129	9002943071759	500	6,0	6,0		
	75,0 cm	00066130	9002943071766	750	8,5	8,5		
	100,0 cm	00066131	9002943071773	1000	11,0	11,0		
	125,0 cm	00066132	9002943071780	1250	13,5	13,5		
	150,0 cm	00066133	9002943071797	1500	15,5	15,5		






Knauf montažni pribor

Naziv proizvoda	Broj proizvoda	EAN kod	Dulj. mm	Deblj. mm	Težina kg		Mjerna jedinica (MJ)	Jedinica pakir. (JP)
					MJ	JP		
CD-PRIBOR CD-univerzalna spojnica isporuka u izravnom stanju razred nosivosti 0,4 kN (40 kg)	00003442	4003982105110	215	0,90	3,9	3,9	100 kom	100
UA/CD-križna spojnica za spajanje UA 50/40 s CD 60/27 isporuka u izravnom stanju razred nosivosti 0,4 kN (40 kg)	00003443	4003982094193	158	0,90	5,5	5,5	100 kom	100
Ravna spojnica za CD-profil 60/27 Količina po paleti: 16.200 kom	00003445	4003982031518	110	0,50	5,5	5,5	100 kom	100
Križna spojnica za CD-profil 60/27 isporuka u izravnom stanju razred nosivosti 0,4 kN (40 kg) Količina po paleti: 25.200 kom	00003446	4003982076588	–	0,90	3,9	3,9	100 kom	100
Nivo spojnica za CD-profil 60/27 (za strop D 113 konstrukcija na istoj razini)	00003447	4003982031532	148	1,00	13,0	6,5	100 kom	50
Učvršna kopča za CD 60/27	00003542	4003982108890	34	0,7	4,1	4,1	100 kom	100
Kopča za čel. stupove za CD 60/27 Za širine profila 5–25 mm	00003543	4003982035691	72	1,0	4,0	2,0	100 kom	50



Knauf montažni pribor

Naziv proizvoda	Broj proizvoda	EAN kod	Dulj. mm	Deblj. mm	Težina kg		Mjerna jedinica (MJ)	Jedinica pakir. (JP)
					MJ	JP		
Nonius-ovjes-gornji dio								
Duljina 30 cm	00003395	4003982075515	300		4,8	4,8		
Duljina 40 cm	00003396	4003982029522	400		6,4	6,4		
Duljina 50 cm	00003397	4003982029539	500		8,2	8,2		
Duljina 60 cm	00003398	4003982029546	600	1,0	9,7	9,7	100 kom	100
Duljina 70 cm	00003399	4003982029553	700		11,4	11,4		
Duljina 80 cm	00003400	4003982029560	800		13,5	13,5		
Duljina 90 cm	00003401	4003982029577	900		15,3	15,3		
Duljina 100 cm	00003402	4003982029584	1000		17,2	17,2		
NP-kopče za čelične grede								
za širinu profila 50 – 85 mm	00003408	9002943055490			3,5	3,5	100 kom	100
za širinu profila 85 – 130 mm	00060454	9002943055506	–	2,0	3,6	3,6		
za širinu profila 130 – 210 mm	00003409	9002943055513			3,8	3,8		
Nosač izolacije nazubljen	00066138	9002943052505	–	–	1,8	1,8	100 kom	100
Nonius kopča (utrošak: 2 kom po visilici)	00003437	4003982030757	65	2,8	0,6	0,6	100 kom	100
Nonius osigurač (utrošak: 1 kom po visilici)	00003438	4003982132246	–	–	0,5	0,5	100 kom	100
Spojnica za profil 60/60 za opružni profil Sistem W 622 / D 151	00033441	4003976153547	60	0,75	10,0	10,0	100 kom	100
Utični kutnik za klizne spojeve s podom i stropom kod učvršćenja UA-profila, s prolazom za instalacije. 1 set = 4 kom uključujući 10 tipli za učvršćenje za pod i za strop								
za 50 mm CW- ili UA-profil	00003454	4003982072559	100	2,0	0,700	0,700		
za 75 mm CW- ili UA-profil	00003455	4003982072566	100	2,0	1,000	1,000	set	4 kom
za 100 mm CW- ili UA-profil	00003456	4003982072573	100	2,0	1,400	1,400	(4 kom)	







Knauf tehnika rada

Naziv proizvoda	Broj proizvoda	EAN kod	Dulj. mm	Deblj. mm	Težina kg MJ	JP	Mjerna jedinica (MJ)	Jedinica pakir. (JP)
Brtveni kit 550 ml	00003461	4003982032348	–	–	0,840	16,8	kom	20
Pistolj za brtveni kit	00004657	4003982087270	–	–	1,010	–	kom	1
PE-brtvena traka za spojeve zida jednostrano samoljepivo 30 mm širine Količina na paleti: 360 svitaka	00003467	4003982032485	30000	3,0	0,360	10,8	svitak	30
50 mm širine Količina na paleti: 216 svitaka	00003468	4003982032508	30000	3,0	0,450	8,1		18
70 mm širine Količina na paleti: 144 svitaka	00003469	4003982032522	30000	3,0	0,690	8,3		12
95 mm širine Količina na paleti: 120 svitaka svitak: 30 duž. m	00003470	4003982032546	30000	3,0	0,930	9,3		10
Dilatacijska traka za pod za estrih za podno grijanje 10/50	00003472	4003982095008	25000	–	0,460	4,6	svitak	10
10/70 svitak: 25 duž. m	00003473	4003982095015	25000	–	0,490	4,9		10
Rubna izolacijska traka 100 mm širine (mineralno vlakno)	00007931	4003982138231	1250	10,0	11,9	12,9	100 kom	108
Razdjelna traka 50 mm širine, samoljepiva, za spojeve sa stropom i zidom svitak: 66 duž. m	00003480	4003982069368	66000	–	0,160	5,8	svitak	36






Tehnika učvršćivanja






Naziv proizvoda	Broj proizvoda	EAN kod	Dulj. mm	Deblj. mm	Težina kg		Mjerna jedinica (MJ)	Jedinica pakir. (JP)
					MJ	JP		
UB-podno ljepilo 310 ml kartuša za suhi estrih F 141/142	00003485	4003982033574	-	-	0,415	8,3	kom	20
Vidifloor ljepilo za spojeve 1 kg boca	00006976	4003982137685	-	-	1,00	-	kom	-
TUB-gipsano ljepilo za pod za suhi estrih F 146 5 kg vreća	00063040	9002943016330	-	-	5,0	500,0	100 kg	100
Samourezni vijci „Black Star“ za učvršćenje gipsanih i gipsvlaknastih ploča za drvo TN 4,0 x 32 TN 4,0 x 42	00066139 00003495	4003982033840 4029369022702	32 42	4,0 4,0	2,0 2,6	2,0 2,6	paket	1000 kom
Samourezni vijci „Black Star“ prema DIN 18182 dio 2 za učvršćenje Knauf gipsanih ploča za drvenu i metalnu potkonstrukciju do deblj. lima od 0,75 mm Black Star TN 25 mm (samo za metalnu konstrukciju) Black Star TN 35 mm Black Star TN 42 mm	00003496 00003497 00003498	9002943054080 9002943054097 9002943054103	25 35 42	3,5 3,5 3,5	1,50 1,90 2,80	1,50 1,90 2,80	paket	1000 kom
Samourezni vijci za učvršćenje perforiranih gipsanih ploča za drvene i metalne potkonstrukcije Deblj. lima do 0,7 mm SN 3,5 x 30 mm	00003503	4003982034014	30	-	2,0	2,0	paket	1000 kom
Univerzalna tipla 6/28	00060497	9002943052796	28	6,0	0,169	0,169	paket	230 kom

Tehnika učvršćivanja

Naziv proizvoda	Broj proizvoda	EAN kod	Dulj. mm	Deblj. mm	Težina kg		Mjerna jedinica (MJ)	Jedinica pakir. (JP)
					MJ	JP		
Samourezni vijci prema DIN 18182 dio 2 za učvršćenje Knauf-gipsanih ploča za drvenu i metalnu potkonstrukciju do deblj. lima od 0,75 mm								
TN 25 mm (samo za metalnu potkonstrukciju)	00003504	4003982034052	25	–	1,32	1,32	paket	1000 kom
TN 35 mm	00003505	4003982034083	35	–	1,74	1,74		
TN 45 mm	00003506	4003982034120	45	–	2,13	2,13		
Samourezni vijci prema DIN 18182 dio 2 za učvršćenje drvenih letvica								
TN 55 mm	00003507	4003982034168	55	–	2,60	2,60	paket	1000 kom
TN 70 mm (kod montaže letvica preth. probušiti ploču, Ø 4 mm)	00005398	9002943050617	70	–	6,10	6,10		
TN 90 mm (kod montaže letvica preth. probušiti ploču, Ø 4 mm)	00009879	9002943050624	90	–	7,83	7,83		
Samourezni vijci prema DIN 18182 dio 2 za učvršćenje gipsanih ploča na metalnu potkonstrukciju za debljinu lima veću od 0,88 mm s nastavkom za uvrtanje								
TB 25 mm	00003508	4003982034236	25	3,5	1,51	1,51	paket	1000 kom
TB 35 mm	00003509	4003982034243	35	3,5	2,01	2,01		
TB 45 mm	00003510	4003982034250	45	3,5	2,40	2,40		
Samourezni vijci „Black Star“ za učvršćenje gipsanih ploča za gipsane ploče Black Star TN 38 mm								
Black Star TN 38 mm	00003511	4003982034342	38	5,5	2,00	2,00	paket	1000 kom
Vijak za lim za učvršćenje čeličnih profila za metalnu pot- konstrukciju. Deblj. lima do 0,7 mm								
LN 3,5 x 9 mm	00003512	4003982034434	9	3,5	1,14	1,14	paket	1000 kom
LN 3,5 x 16 mm	00003513	4003982034441	16	3,5	0,98	0,98		
Vijak za vlaknaste ploče za Vidiwall ploče								
3,9 x 22 mm	00060480	4003982135001	22	3,9	1,3	1,3	paket	1000 kom
3,9 x 30 mm	00060937	4029369029732	30	3,9	1,9	1,9		
3,9 x 45 mm	00060938	4029369029794	45	3,9	2,6	2,6		
Vijci s ravnom glavom za učvršćenje visilica za drvo								
FN 5,1 x 35	00003514	4003982090973	35	5,1	3,0	3,0	paket	1000 kom



Tehnika učvršćivanja



Naziv proizvoda	Broj proizvoda	EAN kod	Dulj. mm	Deblj. mm	Težina kg		Mjerna jedinica (MJ)	Jedinica pakir. (JP)
					MJ	JP		
Univerzalni vijak za montažu stropa ispod stropa za učvršćenje visilica za drvenu podlogu								
FN 4,3 x 35 mm	00011829	4003982142214	35	4,3	2,3	2,3	paket	500 kom
FN 4,3 x 65 mm	00011828	4003982142221	65	4,3	1,9	1,9		250 kom
Dijamant vijak za učvršćenje tvrdih Dijamant ploča za potkonstrukciju s nastavkom za uvrtnje								
HGP 3,9 x 23 mm	00054402	4003982157423	23		1,35	1,35	paket	1000 kom
HGP 3,9 x 35 mm	00054403	4003982157430	35	3,9	2,02	2,02		
HGP 3,9 x 55 mm	00054404	4003982157447	55		3,14	3,14		
Samourezni vijci s ureznim vrhom za učvršćenje profila za čeličnu potkonstrukciju prema DIN 7504 N. Za debljine lima 0,7 do 2,25 mm								
LB 3,5 x 9,5 mm, pocinčano	00003515	4003982034519	9,5	3,5	0,1	0,1	paket	100 kom
LB 3,5 x 16 mm, pocinčano	00003517	4003982034533	16	3,5	1,0	1,0		1000 kom
Samourezni vijci s ureznim vrhom za učvršćenje Knauf dovratnika za CW-profil odn. UA-profil								
LB 4,2 x 13 mm, pocinčano za CW	00061029	9002943050679	13	4,2	0,15	0,15	paket	100 kom
LB 4,8 x 16 mm, pocinčano za UA	00059656	4029369024157	16	4,8	1,24	1,24		500 kom
Vidifloor- posebni vijci								
LG 19 mm	00006973	4003982136640	19	-	0,50	0,50	paket	500 kom
LG 24 mm	00006974	4003982136657	24	-	0,65	0,65		
Učvršni vijci za zidne terete								
LG 25 mm (za GK ploče 12,5 mm)	00003534	4003982034892	25	4,8	2,5	2,5	paket	1000 kom
LG 35 mm (za GK ploče 2 x 12,5 mm)	00003535	4003982034908	35	4,8	3,0	3,0		
Tipli za GK zidove								
4/13	00060490	9002943053991	32	4,0	0,400	0,400	paket	50 kom
4/24	00060491	9002943054004	46	4,0	0,500	0,500		
4/38	00060492	9002943054011	62	4,0	0,600	0,600		
5/16	00060485	9002943050723	49	5,0	0,820	0,820		
5/32	00060486	9002943050730	64	5,0	1,000	1,000		
6/16	00060487	9002943050747	51	6,0	1,100	1,100		
6/32	00060489	9002943050754	64	6,0	1,400	1,400		
Vijak s tiplom za učvršćenje U- i C-profila za pod, zid i strop. Nije pogodno za ovjes spuštenih stropova.								
„K“ 6/35 Količina na paleti: 1.440 pak	00003537	4003982035318	35	6,0	0,420	0,420	paket	100 kom
„L“ 8/80	00003539	4003982035332	80	8,0	0,700	0,700		50 kom
„L“ 8/100	00003538	4003982035325	100	8,0	0,845	0,845		50 kom
Sidreni čavao 6 x 35	00003541	4003982131218	35	6,0	1,100	1,100	paket	100 kom